

State-by-State Rankings on the Composite Indices and Their Components by Year

Health and Well-Being

State	Incidence of Chlamydia 2000 (2002 Report)		Incidence of Chlamydia 1993-97 (2000 Report)	
	Rate	Rank	Rate	Rank
Alabama	604.9	47	358.4	36
Alaska	632.8	49	448.4	46
Arizona	414.6	33	384.6	40
Arkansas	380.4	27	181.1	5
California	435.7	37	327.7	31
Colorado	427.7	34	284.4	25
Connecticut	369.3	26	298.9	29
Delaware	586.4	45	557.1	49
District of Columbia	1009.5	51	335.8	32
Florida	354.2	21	296.4	28
Georgia	602.1	46	369.4	37
Hawaii	464.6	41	261.3	18
Idaho	228.8	8	224.7	12
Illinois	407.6	29	285.4	27
Indiana	358.4	23	261.1	17
Iowa	304.3	14	266.7	20
Kansas	368.7	24	255.4	15
Kentucky	317.4	16	256.8	16
Louisiana	621.6	48	417.8	44
Maine	178.1	4	141.3	4
Maryland	455.1	39	460.0	47
Massachusetts	264.4	11	206.9	6
Michigan	412.8	32	371.9	39
Minnesota	241.7	9	209.9	7
Mississippi	763.2	50	483.3	48
Missouri	408.9	30	391.1	42
Montana	247.1	10	213.3	10
Nebraska	354.5	22	271.4	21
Nevada	351.7	20	211.6	8
New Hampshire	145.7	2	108.3	1
New Jersey	226.0	7	234.7	13
New Mexico	471.9	42	403.7	43
New York	285.7	13	659.1	51
North Carolina	472.6	43	386.6	41
North Dakota	208.2	6	212.3	9
Ohio	431.7	35	342.3	34
Oklahoma	448.9	38	371.5	38
Oregon	309.3	15	237.5	14
Pennsylvania	343.4	18	276.0	23
Rhode Island	382.7	28	338.3	33
South Carolina	433.7	36	581.7	50
South Dakota	351.0	19	278.5	24

Tennessee	410.6	31	349.6	35
Texas	559.4	44	441.7	45
Utah	150.3	3	135.2	3
Vermont	143.2	1	126.9	2
Virginia	369.2	25	300.3	30
Washington	331.1	17	265.3	19
West Virginia	191.1	5	274.2	22
Wisconsin	462.6	40	284.6	26
Wyoming	279.5	12	224.2	11
United States	404.0		335.8	

For details on the indicators, data, and methodology of the statistics, rankings, and grades presented here, see the Appendices for *The Status of Women in the States* reports in each year.

Health and well-being indicators were not included in the 1996 and 1998 reports.

